



Appl. No. 10/626,052
Amdt. Dated September 28, 2007
Reply to Office action of September 17, 2007

DPW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Ragsdill, Scott

Application No: 10/626,052

Filed: July 24, 2003

§
§
§
§
§
§


Group Art Unit: 3635

Examiner: Robert Canfield

Confirmation No: 1450

For: Floor Drain with Built-in Sediment Trap and Removable Gas Trap

Mail Stop AMENDMENT
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

<p>CERTIFICATE OF MAILING OR TRANSMISSION</p> <p>I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage for First class or Express mail in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, or being facsimile transmitted to the USPTO at (571) 273-8300 or being transmitted via EFS-Web on the date indicated below.</p> <p>Date: <u>September 28, 2006</u></p> <p>Name: <u>Michael Cameron</u></p> <p>Signature: <u></u></p>
--

Dear Examiner Canfield:

Amendment

In response to the Notice of Non-Compliant Amendment received September 19, 2007, the Applicant submits, through the undersigned registered patent attorney Michael Cameron, Reg. No. 50,298, the following amendments.

1. Please cancel Claims 1, 3, 6-12, 14-15, 18-20, 22, 24-30, 32-33, and 36-41, without prejudice.
2. Claims 2, 4-5, 13, 16-17, 21, 23, 31, 34-35 and 42 have been amended and begin on page 2 of this paper.